



The image shows a thumbnail of a comparison chart titled "OpenFlows™ Sewer Comparison Chart". The chart compares various software products across several categories: Core, Data Management, Design, Simulation, and Reporting. Each category has a list of features, and the products are evaluated based on whether they support each feature (indicated by a dot in the chart).

OpenFlows™ Sewer Comparison Chart

Thank you for downloading this Bentley Comparison Chart. Carahsoft is the master government aggregator for Bentley solutions available via GSA, NASA SWEP V, NCPA, and other contract vehicles.

To learn how to take the next step toward acquiring Bentley’s solutions, please check out the following resources and information:



For additional resources:
carah.io/BentleyResources



For upcoming events:
carah.io/BentleyEvents



For additional Bentley solutions:
carah.io/BentleySolutions



For additional GIS solutions:
carah.io/Geospatial



To set up a meeting:
Bentley@carahsoft.com
844-722-8436



To purchase, check out the contract vehicles available for procurement:
carah.io/BentleyContracts

For more information, contact Carahsoft or our reseller partners:
bentley@carahsoft.com | 844-722-8436



OpenFlows™ Sewer Comparison Chart

	OpenFlows Sewer Ultimate	OpenFlows Sewer Advanced	OpenFlows Sewer Standard	OpenFlows Sewer Essentials
Sizing	Unlimited Pipes	≤5,000 pipes	≤1,000 pipes	≤100 pipes
Run OpenFlows Sewer within MicroStation®, OpenRoads™ Designer, OpenSite® Designer*, OpenRail™ Designer*, AutoCAD*, or as a stand-alone interface	◆	◆	◆	◆
Run OpenFlows Sewer within ArcGIS* and ArcGIS Pro*	◆	◆		
Model Building				
Automated catchment delineation from terrain	◆	◆	◆	◆
Automatic sanitary load allocation from geospatial data, flow monitors, and property connections	◆	◆	◆	◆
Creation of model elements from CAD drawings	◆	◆	◆	◆
Import/export of LandXML, MX Drainage, and InRoads® storm and sanitary data	◆	◆	◆	◆
Seed files for new model templates	◆	◆	◆	◆
Model building and synchronization with shapefiles, spreadsheets, databases, Oracle Spatial, and open database connectivity connections	◆	◆	◆	◆
Model building and synchronization with geodatabases, geometric networks, and SDE	◆	◆		
Automated NRCS curve number and rational “c” weighting from land use polygons	◆	◆		
SCADAConnect® for live system data connections	◆	◆		
Import/export of SWMM and MicroDrainage model files	◆	◆		
Scenario and Model Management				
Comprehensive, unlimited scenario management	◆	◆	◆	◆
Active topology to activate or deactivate network elements	◆	◆	◆	◆
Customizable engineering libraries	◆	◆	◆	◆
Dynamic and static selection sets	◆	◆	◆	◆
Orphan node and dead-end pipe queries	◆	◆	◆	◆
Surface flow path tracing from terrain	◆	◆	◆	◆
ProjectWise® integration	◆	◆	◆	◆

*License Required

Hydraulics and Operations	OpenFlows Sewer Ultimate	OpenFlows Sewer Advanced	OpenFlows Sewer Standard	OpenFlows Sewer Essentials
GVF-convex solver for steady-state and extended-period simulations for sewer (convex routing and EPANET-based pressure network solution)	◆	◆	◆	◆
Extreme flow factors for use with steady-state simulation	◆	◆	◆	◆
Energy cost analysis	◆	◆	◆	◆
Air valves for high points in force mains	◆	◆	◆	◆
Low-impact development controls	◆	◆	◆	◆
Rule-based controls	◆	◆	◆	◆
Tractive stress calculation	◆	◆	◆	◆
Variable-speed pumps	◆	◆	◆	◆
Totalizing flow meters	◆	◆	◆	◆
Ability to model individual property connections, taps, and laterals	◆	◆	◆	◆
Inline control structures and diversions** (weirs, orifices, and depth-flow curves)	◆	◆	◆**	◆**
Automatic constraint-based design of gravity systems	◆	◆	◆	◆
HEC-22 node headloss calculations	◆	◆	◆	◆
HEC-22 inlet capacity calculations	◆	◆		
Two solvers for the full set of 1D Saint-Venant equations: implicit dynamic and explicit dynamic (EPA-SWMM)	◆	◆		
GVF-rational solver for stormwater (rational method flow calculation)	◆	◆		
Long-term continuous simulation	◆	◆		
1D/2D hydraulic analysis for surface flood modeling	◆	◆		
Critical storm analysis	◆	◆		
Hydrogen sulfide formation	◆	◆		
V-shaped and parabolic gutters	◆	◆		
Culvert headwalls with SWMM and HDS-5 culvert support	◆	◆		
Evaporation definition	◆	◆		
Aquifer simulation	◆	◆		
Pollutant analysis with optional definition of land use categories and surface characteristics	◆	◆		
Results Presentation				
Thematic mapping with color coding	◆	◆	◆	◆
Scenario and element comparison	◆	◆	◆	◆
ArcGIS Pro* visualization	◆	◆		
Grid browser for visualizing 2D surface input and output data	◆	◆		
Gutter cross section viewer	◆	◆		

*License Required

**Diversion structures require manual rating table definition at this feature level



FIND OUT MORE AT BENTLEY.COM

1.800.BENTLEY (1.800.236.8539) | Outside the US +1.610.458.5000 | **GLOBAL OFFICE LISTINGS** [bentley.com/contact](https://www.bentley.com/contact)