



Vertiv™ Liebert® GXT5 Lithium-Ion UPS Crossover Guide

An intelligent and efficient UPS for protection of your mission critical applications.

Vertiv™ Liebert® GXT5 Lithium-Ion UPS Crossover Guide

An intelligent and efficient UPS for protection of your mission critical applications.
1000 VA - 3000 VA, 120V, Rack/Tower Convertible



Benefits

Liebert GXT5 Lithium-Ion Key Benefits vs VRLA

- Up to 3x battery life
- Lowest TCO
- 5 year standard warranty on UPS and Batteries
- Scalable Runtime with optional 1U external battery cabinets
- Smaller and lighter:
 - Greater power density
 - Reduced unit depth
- Up to 10x more discharge cycles



5
YEAR
WARRANTY




Eligible
for Trade-In
Program

Scan below to learn more



Lithium-ion technology delivers two to three times the useful life of lead-acid batteries along with a lower total cost of ownership, making the Liebert® GXT5 Lithium-Ion online UPS ideally suited for network and server rooms, and other mission-critical edge applications.



Lithium-Ion Outperforms VRLA when compared...

Battery Feature	VRLA Battery	Lithium-Ion Battery	Lithium-Ion Benefit
Standard battery life	3-5 years	6-10 years	Up to 3 times longer life
Typical cycle life	200-280	2000	Up to 10x more discharge/recharge cycles
Battery recharge time (@ 50%)	3-6 hours	<2 hours	Fast recovery time safeguards your critical IT equipment in the event of multiple outages
Battery weight	100 kg	50 kg	40% lighter making it ideal for small spaces and web-mount racks
Warranty	2 or 3 years	5 years	Worry free operation as you can sell it and forget it!

Visit the TCO calculator at [vertiv.com](https://www.vertiv.com) → Products & Services → UPS → GXT5 Lithium → Module to calculate the cost savings for your installation.

Vertiv™ Liebert® GXT5 Lithium-Ion UPS Crossover Guide

An intelligent and efficient UPS for protection of your mission critical applications.
1000 VA - 3000 VA, 120V, Rack/Tower Convertible



Benefits

Liebert GXT5 Lithium-Ion Key Benefits vs VRLA


- Up to 3x battery life
- Lowest TCO
- 5 year standard warranty on UPS and Batteries
- Scalable Runtime with optional 1U external battery cabinets
- Smaller and lighter:
 - Greater power density
 - Reduced unit depth
- Up to 10x more discharge cycles



Scan below to learn more



Lithium-ion technology delivers two to three times the useful life of lead-acid batteries along with a lower total cost of ownership, making the Liebert® GXT5 Lithium-Ion online UPS ideally suited for network and server rooms, and other mission-critical edge applications.



Lithium-Ion Outperforms VRLA when compared...

Battery Feature	VRLA Battery	Lithium-Ion Battery	Lithium-Ion Benefit
Standard battery life	3-5 years	8-10 years	Up to 3 times longer life
Typical cycle life	200-260	2000	Up to 10x more discharge/recharge cycles
Battery recharge time (@ 90%)	3-6 hours	<2 hours	Fast recovery time safeguards your critical IT equipment in the event of multiple outages
Battery weight	10.9 kg	5.9 kg	45% lighter making it ideal for small spaces and wall-mount racks
Warranty	2 or 3 years	5 years	Worry free operation so you can set-it and forget-it

Visit the TCO calculator at [vertiv.com](https://www.vertiv.com) -> Products & Services -> UPS -> GXT5 Lithium -> Models to calculate the cost savings for your installation.

Vertiv™ Liebert® GXT5 Lithium-Ion UPS Crossover Guide



Vertiv™ UPS Model Number	Vertiv™ Power Rating, VA/W	Input Plug	Output Receptacles	APC Li-ion PNs	VRLA PNs	Eaton Li-ion PNs	VRLA PNs
GXT5LI-1000LVRT2UXL	1000VA / 1000W	5-15P	(6) 5-15R		SRT1000RMXLA		9PX1000RT
					SRT1000RMXLA-NC ¹		
					SRT1000XLA		
GXT5LI-1500LVRT2UXL	1500VA / 1350W	5-15P	(6) 5-15R		SRT1500RMXLA	9PX1500RT-L	9PX1500RT
					SRT1500RMXLA-NC ¹	9PX1500RTN-L ¹	9PX1500RTN ¹
					SRT1500XLA		
GXT5LI-2000LVRT2UXL	2000VA / 1800W	5-20P or L5-20P (adapter included)	(6) 5-15/20R, (1) L5-20R		SRT2200RMXLA	9PX2000RT-L	9PX2000RT
					SRT2200RMXLA-NC ¹	9PX2000RTN-L ¹	9PX2000RTN ¹
					SRT2200XLA		
GXT5LI-3000LVRT2UXL	3000VA / 2700W	L5-30P	(6) 5-15/20R, (1) L5-30R	SRTL3KRM1UC	SRT3000RMXLA	9PX3000RT-L	9PX3000RT
				SRTL3KRM1UNC ¹	SRT3000RMXLA-NC ¹	9PX3000RTN-L ¹	9PX3000RTN ¹
					SRT3000XLA		

¹add RDU101 network card to the UPS

This Crossover Guide is intended for informational purposes only. Products may differ in design, appearance, dimension, performance, or other attributes. Please refer to product documentation on Vertiv's website and/or contact a Vertiv sales specialist for assistance in determining the appropriate Vertiv model for the intended application. Vertiv assumes no liability for the accuracy of the content contained in this Crossover Guide.






Vertiv.com | **Vertiv Headquarters**, 1050 Dearborn Drive, Columbus, OH, 43085, USA

© 2022 Vertiv Group Corp. All rights reserved. Vertiv™ and the Vertiv logo are trademarks or registered trademarks of Vertiv Group Corp. All other names and logos referred to are trade names, trademarks or registered trademarks of their respective owners. While every precaution has been taken to ensure accuracy and completeness here, Vertiv Group Corp. assumes no responsibility, and disclaims all liability, for damages resulting from use of this information or for any errors or omissions. Specifications, rebates and other promotional offers are subject to change at Vertiv's sole discretion upon notice.



Thank you for downloading this Vertiv guide! Carahsoft is the distributor for Federal, State and Local solutions available via OMNIA, NASA SEWP V, NJSB, and other contract vehicles.

To learn how to take the next step toward acquiring Vertiv's solutions, please check out the following resources and information:

- | | | | | | |
|---|--|---|---|---|--|
|  | For additional resources:
carah.io/VertivResources |  | For additional Vertiv solutions:
carah.io/VertivSolutions |  | To purchase, check out the contract vehicles available for procurement:
carah.io/VertivContracts |
|  | For upcoming events:
carah.io/VertivEvents | | |  | To set up a meeting:
Vertiv@carahsoft.com or 703-871-8600 |